



# South Coast Air Quality Management District

21865 Copley Drive, Diamond Bar, CA 91765-4182  
(909) 396-2000 • [www.aqmd.gov](http://www.aqmd.gov)

E-MAILED: JUNE 23, 2010

June 23, 2010

Mr. Eric Jones, Planner [eric.jones@cityoftemecula.org](mailto:eric.jones@cityoftemecula.org)  
Planning Division  
City of Temecula  
P.O. Box 9033 Road  
43200 Business Park Drive  
Calabasas, CA 91302

## **Draft Mitigated Negative Declaration (Draft MND) for the Jehovah Witness Kingdom Hall**

The South Coast Air Quality Management District (SCAQMD) appreciates the opportunity to comment on the above-mentioned document. The following comments are meant as guidance for the Lead Agency and should be incorporated into the Final Mitigated Negative Declaration.

In the project description, the lead agency proposes the construction of a two-story 8,294 square foot religious center located on a 2.32 acre parcel. In the Air Quality Section, the lead agency quantified the project's construction and operation air quality impacts and has compared those impacts with the AQMD's recommended regional daily significance thresholds.

In addition to evaluating the above-mentioned air quality impacts, the AQMD recommends that the lead agency estimate localized air quality impacts to ensure that any nearby sensitive receptors are not adversely affected by the construction activities that are occurring in close proximity. It is noted on page one under surrounding land uses and in an aerial map inspection that the proposed project is located within one-quarter mile of sensitive receptors (residential properties) north, south and east of the proposed project. SCAQMD guidance for performing a localized air quality analysis can be found on the AQMD web page.<sup>1</sup> Should the lead agency conclude after its analyses that construction or operational localized air quality impacts exceed the SCAQMD daily significance thresholds, staff has compiled mitigation measures in addition to those measures listed on pages 8-9 of the Draft MND that can be implemented if the air quality impacts are determined to be significant.<sup>2</sup>

---

<sup>1</sup> <http://www.aqmd.gov/ceqa/handbook/LST/LST.html>

<sup>2</sup> [http://www.aqmd.gov/ceqa/handbook/mitigation/MM\\_intro.html](http://www.aqmd.gov/ceqa/handbook/mitigation/MM_intro.html)

Mr. Eric Jones  
Planner

2

June 23, 2010

Please provide the AQMD with written responses to all comments contained herein prior to the adoption of the Final MND. The SCAQMD staff would be happy to work with the Lead Agency to address these issues and any other questions that may arise. Please contact Gordon Mize, Air Quality Specialist – CEQA Section, at (909) 396-3302, if you have any questions regarding these comments.

Sincerely,

A handwritten signature in black ink that reads "Ian V. MacMillan". The signature is written in a cursive style with a large initial "I" and "M".

Ian MacMillan  
Program Supervisor, Inter-Governmental Review  
Planning, Rule Development & Area Sources

IM:GM

RVC100526-02  
Control Number