



South Coast Air Quality Management District

21865 Copley Drive, Diamond Bar, CA 91765-4178
(909) 396-2000 • www.aqmd.gov

SENT VIA E-MAIL:

November 10, 2020

Alfred.Wong@dtsc.ca.gov

Alfred Wong, Project Manager
Department of Toxic Substances Control
700 Heinz Avenue
Berkeley, CA 94710

Draft Standardized Hazardous Waste Facility Permit Renewal for Advanced Environmental, Inc. DBA World Oil Environmental Services

South Coast Air Quality Management District (South Coast AQMD) staff appreciates the opportunity to provide comments on the above-mentioned document. In the Community Update for the Draft Standardized Hazardous Waste Facility Permit Renewal, the Department of Toxic Substances Control (DTSC) is requested to renew a hazardous waste facility permit to continue treatment, storage, and disposal of hazardous wastes on a 4.3-acre site (site) that is located at 13579 Whittram Avenue on the southwest corner of Mulberry Avenue and Whittram Avenue in the City of Fontana. It is recommended that the DTSC and the facility owner/operator review the provisions of South Coast AQMD Rule 219¹ to ensure that the equipment involves does not require South Coast AQMD Permit(s) to Operate.

If you have any questions or wish to discuss the comments, please contact me at lsun@aqmd.gov or Mr. John Anderson, Air Quality Analysis and Compliance Supervisor, at janderson@aqmd.gov.

Sincerely,

Lijin Sun

Lijin Sun, J.D.
Program Supervisor, CEQA IGR
Planning, Rule Development & Area Sources

LS/JA
SBC200922-04
Control Number

¹ South Coast AQMD Rule 219. Accessed at: <http://www.aqmd.gov/docs/default-source/rule-book/reg-ii/Rule-219.pdf>.