

**SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT**  
**21865 Copley Dr., Diamond Bar, CA 91765-4182**

**MONITORING & ANALYSIS**  
**REPORT OF LABORATORY ANALYSIS**

<b>TO:</b> Jason Low, Ph.D. Atmospheric Measurements Manager Science and Technology Advancement	<b>LABORATORY NO:</b> <u>1614212</u>
	<b>REFERENCE NO:</b> <u>GC6-3-96</u>
<b>SAMPLE DESCRIPTION:</b> 24 hour Sample Canister # 22486	<b>DATE SAMPLED:</b> <u>05/21/16</u>
	<b>DATE RECEIVED:</b> <u>05/23/16</u>
	<b>DATE ANALYZED:</b> <u>05/24/16</u>
<b>SAMPLE LOCATION:</b> Porter Ranch Community Elementary School	<b>ANALYZED BY:</b> <u>Yang Song</u>
	<b>REQUESTED BY:</b> <u>Sumner Wilson</u>

---

---

**ANALYTICAL WORK PERFORMED, METHOD OF ANALYSIS AND RESULTS**

Volatile Organic Compounds (VOC) by Gas Chromatography(GC)  
and Flame Ionization Detection (FID)

Note: See attached for speciated results.

Date Approved: 5/25/16

Approved By:   
Solomon Teffera, Acting Sr. Manager  
Laboratory Services Branch  
(909) 396-2199

**LAB NO: 1614212**  
**Location: Porter Ranch Elem.**

**ANALYTICAL WORK PERFORMED, METHOD OF ANALYSIS AND RESULTS**

Quantitation of Organic Compounds by Gas Chromatography(GC) and  
 Flame Ionization Detection (FID)

Sample Date	05/21/16	
Canister	22486	
<b>Sampling Location</b>	<b>Porter Ranch Elem.</b>	<b>Ambient Air</b>
<b>Total NMOC, ppbC</b>	59	100-700 ppbC

<u>Compound</u>	<u>Conc. (ppbv)</u>	<u>Conc. (ppbv)</u>
ethylene	0.5	0.7-4.1
acetylene	0.3	
propane	0.7	0.4-5.0
propylene	<0.1	0.2-0.7
isobutane	0.1	0.2-0.9
n-butane	0.2	0.3-1.7
1-butene	<0.1	0.1-0.3
trans-2-butene	N.D.	
cis-2-butene	<0.1	
isopentane	1.6	
1-pentene	<0.1	
n-pentane	<0.1	0.1-0.6
isoprene	<0.1	
trans-2-pentene	N.D.	
cis-2-pentene	N.D.	
2,2-dimethylbutane	<0.1	
cyclopentane	N.D.	
2,3-dimethylbutane	<0.1	
2-methylpentane	<0.1	
3-methylpentane	<0.1	
1-hexene	<0.1	<0.1-0.1
n-hexane	<0.1	0.1-0.2
methylcyclopentane	<0.1	
2,4-dimethylpentane	<0.1	
benzene	<0.1	0.1-0.5
cyclohexane	<0.1	
2-methylhexane	<0.1	
2,3-dimethylpentane	<0.1	
3-methylhexane	<0.1	
2,2,4-trimethylpentane	<0.1	
n-heptane	<0.1	0.1-0.2
methylcyclohexane	<0.1	

**LAB NO: 1614212**  
**Location: Porter Ranch Elem.**

**ANALYTICAL WORK PERFORMED, METHOD OF ANALYSIS AND RESULTS**

Quantitation of Organic Compounds by Gas Chromatography(GC) and  
 Flame Ionization Detection (FID)

Sample Date	05/21/16	
Canister	22486	
<b>Sampling Location</b>	<b>Porter Ranch Elem.</b>	<b>Ambient Air</b>
<b>Total NMOC, ppbC</b>	59	100-700 ppbC

<u>Compound</u>	<u>Conc. (ppbv)</u>	<u>Conc. (ppbv)</u>
2,3,4-trimethylpentane	<0.1	
toluene	<0.1	0.1-0.6
2-methylheptane	<0.1	
3-methylheptane	<0.1	
n-octane	<0.1	<0.1-0.3
ethylbenzene	<0.1	0.1-0.2
m+p-xylenes	<0.1	0.1-0.2
styrene	<0.1	<0.1-0.2
o-xylene	<0.1	0.1-0.2
n-nonane	<0.1	<0.1-0.1
isopropylbenzene	<0.1	
n-propylbenzene	<0.1	
m-ethyltoluene	<0.1	
p-ethyltoluene	<0.1	
1,3,5-trimethylbenzene	0.4	
o-ethyltoluene	<0.1	
1,2,4-trimethylbenzene	<0.1	
n-decane	<0.1	<0.1-0.1
1,2,3-trimethylbenzene	<0.1	
m-diethylbenzene	<0.1	
p-diethylbenzene	<0.1	
n-undecane	<0.1	<0.1
n-dodecane	<0.1	<0.1

NMOC = Non-Methane Organic Compounds  
 N.D. = Not Detected

WO #: 1614212

**SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT  
SAMPLE ANALYSIS REQUEST**



TO: SCAQMD LAB:  OTHER:

SOURCE NAME: Southern California Gas Co. I.D. No. \_\_\_\_\_

Source Address: 12801 Tampa Ave City: Porter Ranch

Mailing Address: \_\_\_\_\_ City: \_\_\_\_\_ Zip: 91326

Contact Person: \_\_\_\_\_ Title: \_\_\_\_\_ Tel: \_\_\_\_\_

Analysis Requested by: Sumner Wilson Date: 5/23/16

Approved by: Jason Low Office: \_\_\_\_\_ Budget #: 44716

REASON REQUESTED: Court/Hearing Board  Permit Pending  Hazardous/Toxic Spill

Suspected Violation Rule(s) \_\_\_\_\_ Other

Sample Collected by: Qian Zhou Date: 5/23/16 Time: 09:45am

**REQUESTED ANALYSIS: PAMS analysis**

City/Location	Can#	Start day / time/ duration	Start vac	End Press
Porter Ranch Community Elementary School (PRCS)	22486	5/21/16 / 00:00 / 24 hours	<-30"	+16

Relinquished by	Received by	Firm/Agency	Date	Time
<i>Zhouqian</i>	<i>Ningqian Ran</i>	SCAQMD Lab	5/23/2016	12:03

Remarks: 1:3 scheduled samples from trailer at PRCS  
 Porter Ranch Community School Elementary – 12450 Mason Ave, Porter Ranch, CA 91326  
 GPS (34.293369, -118.580505)  
 Right sampler, sn 3900