

SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT
21865 Copley Drive, Diamond Bar CA 91765-1482

MONITORING & ANALYSIS
REPORT OF LABORATORY ANALYSIS


Page 1 of 2

TO	Jason Low Atmospheric Measurements Manager Science and Technology Advancement	LABORATORY NO	<u>1614805</u>
SAMPLE DESCRIBED AS	24 hour sample Canister 54308	DATE RECEIVED	<u>05/28/2016</u>
SAMPLING LOCATION	Porter Ranch Community School	FACILITY ID NO	<u>NA</u>
		REQUESTED BY	<u>Sumner Wilson</u>
		ST NO / PROJECT	<u>NA</u>

Carbon monoxide (CO), methane (CH₄), carbon dioxide (CO₂), ethane (C₂H₆), and non-methane non-ethane organic carbon (NM/NEOC) in ppmvC by SCAQMD Method 25.1 (TCA FID).

Type	Canister
Number	<u>54308</u>
Pressure (Torr)	740
CO, ppm	< 3
CH ₄ , ppm	3
CO ₂ , ppm	430
Ethane, ppmvC	< 1
NM/NEOC, ppmvC	< 1

Date Approved: 6/1/16

Approved By: 
Solomon Teffera, Acting Senior Manager
Laboratory Services
909-396-2199

6/3/16

SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT
21865 Copley Drive, Diamond Bar CA 91765-1482

MONITORING & ANALYSIS
QUALITY CONTROL SUMMARY

Page 2 of 2

SAMPLE DESCRIBED AS	LABORATORY NO	<u>1614805</u>
24 hour sample Canister 54308	REQUESTED BY	<u>Sumner Wilson</u>

Carbon monoxide (CO), methane (CH₄), carbon dioxide (CO₂), ethane (C₂H₆), and non-methane non-ethane organic carbon (NM/NEOC) in ppmvC by SCAQMD Method 25.1 (TCA FID).

QUALITY CONTROL -- End of run control recovery

		Theoretical	Measured	Percent Difference	QC Limit ±5% or ± 1
CC106783	MDL				
CO, ppmvC	0.4	1.92	2.20	14.47	PASS
CH ₄ , ppmvC	0.3	2.02	2.13	5.27	PASS
CO ₂ , ppmvC	0.4	1.57	2.25	43.33	PASS
C ₂ H ₄ , ppmvC	0.4	NA	NA	NA	NA
C ₂ H ₆ , ppmvC	0.4	2.03	2.11	4.01	PASS
NM/NEOC, ppmvC	0.5	2.03	2.15	5.92	PASS

		Theoretical	Measured	Percent Difference	QC Limit ±5% or ± 1
CC12628	MDL				
CO, ppmvC	0.4	1036	1061	2.45	PASS
CH ₄ , ppmvC	0.3	1068	1058	-0.95	PASS
CO ₂ , ppmvC	0.4	1022	1044	2.16	PASS
C ₂ H ₄ , ppmvC	0.4	NA	NA	NA	NA
C ₂ H ₆ , ppmvC	0.4	1044	1047	0.28	PASS
NM/NEOC, ppmvC	0.5	1024	1022	-0.12	PASS

DATE ANALYZED 05/28/2016
REFERENCE NO: 16QM2AC
 QM2-105

**SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT
SAMPLE ANALYSIS REQUEST**

D
 P
 I
LAB

WO #: 1614805



TO: SCAQMD LAB: OTHER:

SOURCE NAME: Southern California Gas Co. I.D. No. _____

Source Address: 12801 Tampa Ave City: Porter Ranch

Mailing Address: _____ City: _____ Zip: 91326

Contact Person: _____ Title: _____ Tel: _____

Analysis Requested by: Sumner Wilson Date: 5/28/16

Approved by: Jason Low Office: _____ Budget #: 44716

REASON REQUESTED: Court/Hearing Board Permit Pending Hazardous/Toxic Spill
Suspected Violation Rule(s) _____ Other

Sample Collected by: Qian Zhou Date: 5/28/16 Time: 10:20am

REQUESTED ANALYSIS: PAMS analysis

City/Location	Can#	Start day / time/ duration	Start vac	End Press
Porter Ranch Community Elementary School (PRCS)	54308	5/27/16 / 00:00 / 24 hours	<-30"	+13.5

Relinquished by	Received by	Firm/Agency	Date	Time
<i>Zhou Qian</i>	<i>Andrew</i>	SCAQMD Lab	5/28/16	12:50

Remarks: 1:3 scheduled samples from trailer at PRCS
Porter Ranch Community School Elementary – 12450 Mason Ave, Porter Ranch, CA 91326
GPS (34.293369, -118.580505)
Right sampler, sn 3900