



Regulation XIII – New Source Review

Working Group Meeting
June 16, 2021

Join Zoom Webinar Meeting

<https://scaqmd.zoom.us/j/98344812021>

Webinar Meeting ID: 983 4481 2021

Teleconference Dial-In: 1-669-900-6833

Agenda



Proposed Amended Rule 1304

Marathon Petroleum Comment Letter (May 12, 2021)

Federal NSR Applicability – Permit Project Aggregation

Proposed Amended Rule 1304

- At the February 2021 Working Group Meeting, staff proposed to add a limited BACT exemption for “non-ozone precursors” in PAR 1304
 - Staff was concerned that “non-ozone precursor” may not be clear
- During the April 2021 Working Group Meeting, staff proposed to limit the BACT exemption to PM emissions only
 - Stakeholders requested that the BACT exemption be extended to SO_x and CO for increases related to new equipment installed to meet NO_x BARCT standards

Applicability of the BACT Exemption

- Staff is proposing to extend the applicability of the BACT exemption to SO_x since:
 - Incremental SO_x emissions can occur when installing new permit units with SCR for NO_x BARCT compliance
- Narrow BACT exemptions for PM₁₀ and SO_x are needed to address emission increases associated with installation of new SCRs or new units with SCR for compliance with a NO_x BARCT requirement
- BACT exemption will not apply to CO

Rule 2005 – RECLAIM NSR

- SOx emission increases at facilities that are in SOx RECLAIM are subject to Rule 2005 instead of Reg XIII
 - Refinery operations are usually subject to SOx RECLAIM
 - Rule 2005 will continue to apply for SOx during the NOx RECLAIM transition while facilities are implementing NOx BARCT¹
- Staff is proposing Rule 2005 clarifications for SOx emission increases associated with NOx BARCT compliance
- Staff is currently discussing with CARB the feasibility of the clarifications with BACT and SOx emissions

¹ Rule 2005 will apply to both NOx and SOx until U.S. EPA SIP approves revisions to sunset NOx RECLAIM. Permits issued prior to final approval could continue to utilize Rule 2005 for both NOx and SOx

PAR 1304 – Updated Rule Language

(f) Limited BACT Exemption

(1) Upon approval by the Executive Officer or designee, new or modified permit unit(s) to install add-on air pollution control equipment for control of NOx emissions, shall be exempt from the BACT requirement of Rule 1303 (a)(1) for any associated increase in PM₁₀ and/or SOx emissions caused by the operation of the add-on air pollution control equipment provided:

(A) The new or modified permit unit(s) is located at a RECLAIM or former RECLAIM facility and is being installed or modified to comply with a South Coast AQMD rule to meet a specified NOx Best Available Retrofit Control Technology (BARCT) emission limit initially established before December 31, 2023;

(B) The cumulative total maximum rated capacity of all new and modified permit units is less than or equal to the cumulative total maximum rated capacity of the permit unit(s) being replaced and modified, and the new and/or modified permit unit(s) will serve the same purpose as those being replaced and modified. For the new and/or modified permit unit(s) and the permit unit(s) being replaced, a maximum of 90 days is allowed as a start-up period for simultaneous operation;

(C) The facility does not have an increase in physical or operational design capacity, except for those changes needed for the new or modified permit unit(s) that meet the requirement of subparagraph (f)(1)(B). An increase in efficiency is not an increase in the physical and operational design capacity;

(D) Emissions from the new or modified permit unit(s) do not cause an exceedance of any state or national ambient air quality standard, as demonstrated with modeling required in Rule 1303 (b)(1); and


(E) The new or modified permit unit(s) does not constitute a federal Major Stationary Source or Major Modification determined pursuant to 40 CFR 51.165 and 40 CFR 52.21.

(2) All other requirements of Regulation XIII – New Source Review, including but not limited to, permit conditions limiting monthly maximum emissions as required in Rule 1313 – Permits to Operate, shall apply regardless of the limited BACT exemption in paragraph (f)(1).

■ “...new or modified permit unit(s) that install add-on air pollution control equipment for control of NOx emissions, shall be exempt from the BACT requirement of Rule 1303 (a)(1) for any associated increase in **PM₁₀ and/or SOx emissions** caused by the operation of the add-on air pollution control equipment provided:”

■ “The cumulative total maximum rated capacity of all new and modified permit unit(s) is less than or equal to the cumulative total maximum rated capacity of the permit unit(s) being replaced and modified, and the new and/or modified permit unit(s) will serve the same purpose as those being replaced and modified. For the new and/or modified permit unit(s) and the permit unit(s) being replaced, a maximum of 90 days is allowed as a start-up period for simultaneous operation;”

Marathon Petroleum Comment Letter (May 12, 2021)



[http://www.aqmd.gov/docs/default-source/rule-book/Proposed-Rules/1109.1/mpc-4th-comments-pr1109-1-final-05-12-21-\(signed-copy\).pdf?sfvrsn=6](http://www.aqmd.gov/docs/default-source/rule-book/Proposed-Rules/1109.1/mpc-4th-comments-pr1109-1-final-05-12-21-(signed-copy).pdf?sfvrsn=6)

- PR 1109.1 staff received a letter from Marathon Petroleum Corporation (Marathon) on May 12, 2021
 - Summary presented at [PR 1109.1 Working Group Meeting #21](#) (May 27, 2021)
- Comments are more relevant to New Source Review than to PR 1109.1
- Marathon anticipates some of their SCR projects may exceed the federal Major Modification threshold for PM_{2.5}, which is 10 tons per year for Major Sources of PM_{2.5}
- An exceedance would:
 - Trigger BACT PM requirements

NSR Related Comments from Marathon Letter

Comment 1: South Coast AQMD Provides No Information to Substantiate that Fine Particulate Matter Emissions due to SCR Would Likely Be Below Federal Major Modification Thresholds

Comment 2: Based on the Example a 425 MMBtu/hour Unit Will Exceed the PM_{2.5} Federal Major Source Modification Threshold of 10 Tons per Year

Comment 3: EPA's "Project Aggregation" Policy Must be Considered if the Emissions Increase for the SCR Project is Combined with Other SCR Projects at the Refinery

Comment 1: South Coast AQMD Provides No Information to Substantiate that Fine Particulate Matter Emissions due to SCR Would Likely Be Below Federal Major Modification Thresholds

- Staff evaluated existing refinery units to determine scenarios that may exceed the federal 10 tons per year $PM_{2.5}$ threshold
- PM emissions depend on several variables
 - Conversion of SO_2 to SO_3
 - Fuel sulfur content
 - Size of the unit
- Staff is evaluating comment made during the working group meeting that the source test methodology may be a concern

Comment 2: Based on the Example a 425 MMBtu/hour Unit Will Exceed the PM_{2.5} Federal Major Source Modification Threshold of 10 Tons per Year

- Hypothetical example was not a PR 1109.1 scenario and overestimates post-project emissions based on an existing unit with an existing SCR
- Staff estimates that PM emissions will be below the federal NSR thresholds when considering:
 - Newer catalyst will have lower PM emissions
 - Emissions from a new units will be lower than an existing older units, provided no increase in rating
 - Federal NSR applicability will be determined using the Baseline Actual-to-Projected Actual test
 - Baseline includes actual emissions for the existing unit, rather than a zero baseline for the new unit under Reg XIII


Comment 3: EPA's "Project Aggregation" Policy Must be Considered if the Emissions Increase for the SCR Project is Combined with Other SCR Projects at the Refinery

- Based on staff's analysis, aggregating multiple units as one permitting project would not exceed the federal PM threshold of 10 tons per year
- Under the federal NSR applicability test, if a project does not have a significant emissions increase:
 - The project is not subject to Major Source NSR requirements (i.e. offsets and LAER)
 - There is no need to evaluate the contemporaneous emission increases for the proposed project
- The "project aggregation" policy is to ensure that permitting projects are not split up to circumvent NSR requirements (will be discussed in the next slides)

Federal NSR Applicability – Permit Project Aggregation

- Stakeholders have raised questions regarding “project aggregation” when determining federal NSR applicability
- Concerns about the possibility of multiple SCR installations being grouped as a single project and exceeding the federal NSR thresholds
 - For a PM_{2.5} major source with a PTE ≥70 tons per year, the Major Modification threshold for PM_{2.5} is 10 tons per year

Federal NSR Applicability Tests



***Federal guidance refers to the Significant Project Emissions Test as Step 1 of the NSR test (only for emission units involved in the project), while the Significant Net Emissions Test is referred to as Step 2 of the NSR test (source-wide emissions netting).

Step 2: Is There a Significant Emissions Increase from the Project?

- Purpose of Step 2 is to determine if the project itself will result in a Significant Emissions Increase under the federal definition
- If Project Emissions are greater than or equal to the Federal Significant Emissions Thresholds, then the Significant Net Emissions test (Step 3) is needed to determine if the permitting action is subject to NSR requirements (except for ozone precursors¹)
- “Project Emissions” are the sum of all emissions from project components that are related to the primary permitting project

$$\text{Project Emissions} = \sum \text{Component Project Emissions}$$

¹ Any NO_x or VOC emission increase is considered a significant net emissions increase and a major modification for ozone for Major Polluting Facilities in an extreme ozone nonattainment area

Project Emissions – Federal Definition

- U.S. EPA defines the “project” as a physical change in, or change in the method of operation of, an existing major polluting facility [40 CFR 165.(a)(1)(xxxix)]
 - Ensures that nominally-separated projects at a facility are treated as a single project
 - If a project has multiple emission sources, the increases of each individual emission source are added together to determine if the project as a whole has a Significant Emissions Increase
 - Project emissions include all new, modified, and de-bottlenecking units
 - In general aggregated projects includes activities that are substantially related, including technical or economic dependence, and that generally occur within three years of each other
 - Project aggregation is evaluated on a case-by-case basis

Difference Between Federal NSR Applicability and Regulation XIII

- Regulation XIII permits are issued for each individual source or unit
- Regulation XIII does not include emission increases from other permitting or non-permitting actions

Project Aggregation – Federal Policy

- Purpose of federal policy on project aggregation is to ensure that NSR requirements are not circumvented
- U.S. EPA policy on projection aggregation¹ does not address projects that are required for regulatory compliance
 - Available guidance primarily addresses voluntary projects, such as facility expansions or renovations
- South Coast AQMD will continue to follow federal guidance on project aggregation for NSR applicability determinations
 - Substantially related activities because of technical or economic dependence that occur within three years of each other will be aggregated
 - Aggregation not necessary for control projects required solely for regulatory compliance that have no technical or economic dependence to each other

¹ U.S. EPA Federal Register publications on project aggregation: 83 FR 57324 (November 15, 2018), 74 FR 2376 (January 15, 2009), and 71 FR 54235 (September 14, 2006)

Working Group Meeting Summary

- South Coast AQMD will continue to apply the Federal definition of "project" when determining if federal NSR is applicable
- Multiple installations need only be aggregated as required by federal guidance on aggregation
- Staff is developing proposed amendments to Rule 1304 and Rule 2005 to include a limited BACT exemption to address PM and SOx increases
- Based on South Coast AQMD analysis, unlikely that multiple units will exceed the federal PM threshold
- Projects that do not have a significant emissions increase are not required to also evaluate net emissions during the contemporaneous period for the proposed project
 - If NSR requirements are not triggered under Step 2, then the netting calculation under Step 3 is not required

Contacts – RECLAIM & New Source Review

General Questions	Susan Nakamura	Assistant Deputy Executive Officer	909-396-3105	snakamura@aqmd.gov
RECLAIM	Gary Quinn, P.E.	Program Supervisor	909-396-3121	gquinn@aqmd.gov
	Rudy Chacon	Program Supervisor	909-396-2726	rchacon@aqmd.gov
	Isabelle Shine	Air Quality Specialist	909-396-3319	ishine@aqmd.gov
New Source Review	Mike Morris	Planning and Rules Manager	909-396-3282	mmorris@aqmd.gov
	Uyen-Uyen Vo	Program Supervisor	909-396-2238	uvo@aqmd.gov
	Lizabeth Gomez	Air Quality Specialist	909-396-3319	lgomez@aqmd.gov

To receive e-mail notifications for Regulation XX or Regulation XIII, sign up at: www.aqmd.gov/sign-up
 To view proposed rules and supporting documentation, visit the South Coast AQMD Proposed Rules webpage at:
<http://www.aqmd.gov/home/rules-compliance/rules/scaqmd-rule-book/proposed-rules>